

S911 ENFORCER

Your Best Partner for Monitoring Projects

Projects of House Arrest, Domestic Violence and Immigration Control





S911 ENFORCER

When Compassion Meets Technology

No Stigma and Not Denigrating
Solution for Your Monitoring Projects





S911 Enforcer

Key Features



3G/4G with GNSS



2-Way Voice communication



Regular Check-in and Man-Down Alerts



Real-Time Alert when Approaching to the Victims



Wristband Tamper Alert



Geo-Fence Violation Alerts



No-Power-Off



IP68 Waterproof

Indoor Location with Out-of-Range Alert





Typical indoor range of 30 yards (approx. 30 meters)





 \bigcirc

S911 Enforcer

S911 Base Station

Technical Specifications









Size	W: 1.96"x H: 2.82"x D: 1.2"	W: 1.96"x H: 2.82"x D: 1.2"	W: 2.14"x H: 3.28"x D: 0.92"	W: 1.59"x H: 2.13"x D: 0.63"
Weight	110gm (0.25 lbs)	110gm (0.25 lbs)	80 gm (0.18 lbs)	45 gm (0.1 lbs)
Security band for wristwear	~	✓ + Ankle		
Cellular compatibility	3G	4G LTE	4G LTE	4G LTE
AGPS and BLE technologies	~	✓ + WiFi	~	✓
GNSS and Cell signal status	~	~	~	✓
Two-way voice communication	~	~	~	✓
LCD Display	~	✓		
Emergency call button	~	✓	~	✓
Silent incoming call feature*	~	~	~	✓
3-axis motion detection	~	~	~	✓
Tamper detection	~	✓	~	
Battery operation	36-hours	33-hours	32-hour backup battery	32-hour
Low battery/back-up alert	~	✓	~	✓
Event storage	Up to 22k events	Up to 100k events	Up to 22k events	Up to 22k events
Connection to other devices	Connects to Base Station for out-of-range alert	Connects to Base Station for out-of-range alert	Connects to S911 Enforcer S for out-of-range alert	Proximity Alert with S911 Enforcer
Vibration and audible alert	~	✓	~	✓
Programable Geofences	20 Geofences	20 Geofences	20 Geofences	20 Geofences
Accumulation report mode to extend battery operation	~	~		
Regular check-in missing alert	~	~	~	✓
Man-down alert	~	✓		✓
IP68 waterproof rating	✓	✓		
Antiallergic wristband and stainless steel security lock	~	~		
Charging Port	Micro-USB port	USB C port	AC-DC adaptor for wall	Micro USB port
Firmware Upgrade OTA	~	~	~	~